


# Used Tube Mills & Rollformers Catalog

pg. 2 **Tube Mills, Tube & Pipe Machinery**  
pg. 4 **Rollformers, Sheet & Strip Machinery**  
pg. 6 **Coil Handling Machinery**  
pg. 7 **Automation, Service & Parts**



**UNIVERSAL  
TUBE & ROLLFORM  
EQUIPMENT co.**  
A UCG COMPANY



## HIGH-FREQUENCY Tube Mills

| STOCK # | MIN. - MAX. O.D.                         | MIN. - MAX. WALL                         | MAKE/<br>MODEL       | FORMING MILL             | WELDING SECTION                                      | SIZING MILL                        | EQUIPPED WITH                                                                                  |
|---------|------------------------------------------|------------------------------------------|----------------------|--------------------------|------------------------------------------------------|------------------------------------|------------------------------------------------------------------------------------------------|
| 3890    | 1.90" - <b>6.00"</b><br>(48.2 - 152 mm)  | .042" - <b>.120"</b><br>(1.06 - 3.04 mm) | ABBEY ETNA<br>#6-SXU | • Entry Guide            | • Pressure Unit<br>• Scarfing Unit<br>• Ironing Unit | • 4-Roll Turkshead<br>• Motor      | • Roll Tooling                                                                                 |
| 3004    | 0.50" - <b>2.50"</b><br>(12.7 - 63.5 mm) | 0.20" - <b>.095"</b><br>(.508 - 2.41 mm) | YODER<br>#M2         | • Entry Guide<br>• Motor | • Pressure Unit<br>• Scarfing Unit                   | • 4-Roll Turkshead<br>• Motor      | • Control Panel<br>• Drive Panel                                                               |
| 4101    | 0.50" - <b>2.50"</b><br>(12.7 - 63.5 mm) | 0.20" - <b>.095"</b><br>(.508 - 2.41 mm) | YODER<br>#M2         | • Entry Guide<br>• Motor | • Pressure Unit<br>• Scarfing Unit                   | • 4-Roll Turkshead<br>• Motor      | • Control Panel<br>• Drive Panel<br>• 300 KW Welder<br>• 75 Ton Cut-Off<br>• Crates of Tooling |
| 3814    | 0.50" - <b>2.50"</b><br>(12.7 - 63.5 mm) | 0.20" - <b>.095"</b><br>(.508 - 2.41 mm) | YODER<br>#M2         | • Entry Guide<br>• Motor | • Pressure Unit<br>• Scarfing Unit                   | • 4-Roll Turkshead<br>• Motor      | • Control Panel<br>• Drive Panel                                                               |
| 3039    | 0.50" - <b>2.00"</b><br>(12.7 - 50.8 mm) |                                          | MCKAY                | • Entry Guide            | • Ironing Unit<br>• Seam Guide                       | • 8-Roll Turkshead<br>Double Sided |                                                                                                |

## ERW Tube Mills

| STOCK # | MIN. - MAX. O.D.                         | MIN. - MAX. WALL                         | MAKE/<br>MODEL   | FORMING MILL                                                        | WELDING SECTION                                                                                                        | SIZING MILL                                       | EQUIPPED WITH                                                                                                                                                                                        |
|---------|------------------------------------------|------------------------------------------|------------------|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1728    | 0.50" - <b>1.50"</b><br>(12.7 - 38.1 mm) | .020" - <b>.050"</b><br>(.508 - 1.27 mm) | MCKAY            | • Entry Guide w/<br>Edge Trimming<br>• Motor                        | • ERW Welder<br>• Seam Guide<br>• Pressure Unit<br>• 5' Flood-Type<br>Coolant Zone                                     | • Straightener Unit<br>• Motor                    |                                                                                                                                                                                                      |
| 3363    | .313" - <b>1.25"</b><br>(7.95 - 31.7 mm) | .020" - <b>.049"</b><br>(.508 - 1.24 mm) | YODER<br>#M1-1/2 | • Entry Guide w/<br>Edge Trimming<br>• Oil Recirculation<br>• Motor | • ERW Welder<br>• Seam Guide<br>• Pressure Unit<br>• Scarfing Unit<br>• Bead Winder<br>• 6' Flood-Type<br>Coolant Zone | • Encoder Stand<br>• Oil Recirculation<br>• Motor | • Double Uncoiler<br>• Shear & End Welder<br>• Accumulator<br>• Cut-Off<br>• Single Dump<br>Run Out Table<br>• Control Panel<br>• Drive Panel<br>• Multiple Sets<br>of Roll Tooling<br>• Spare Parts |
| 1166    | <b>0.50"</b><br>12.7 mm                  | .028" - <b>.040"</b><br>(.711 - 1.01 mm) | YODER<br>#W15    | • Entry Guide                                                       | • Welder Rotary<br>Resistance<br>• Seam Guide<br>• Scarfing Unit<br>• Motor<br>• Flood-Type<br>Coolant Zone            | • Straightening<br>Stand<br>• Motors              | • Gantry Crane<br>• Double Uncoiler<br>• Strip Looper<br>• Shear & End Welder<br>• Pinch Roll Pull Out<br>Stand<br>• Control Panel<br>• Drive Panel<br>• Multiple Sets<br>of Roll Tooling            |

## TIG Tube Mills

| STOCK # | MIN. - MAX. O.D.                          | MIN. - MAX. WALL                         | MAKE/<br>MODEL | FORMING MILL  | WELDING SECTION                                                                        | SIZING MILL                    | EQUIPPED WITH  |
|---------|-------------------------------------------|------------------------------------------|----------------|---------------|----------------------------------------------------------------------------------------|--------------------------------|----------------|
| 3826    | 3.00" - <b>5.00"</b><br>(76.2 - 127 mm)   |                                          | T&H<br>#W-35   | • Entry Guide | • Pressure Unit<br>• 14" Cooling<br>Section<br>• Cyclomatic<br>Magnetic ARC<br>Control | • 4-Roll Turkshead             | • Roll Tooling |
| 3825    | 3.00" - <b>5.00"</b><br>(76.2 - 127 mm)   |                                          | T&H<br>#W-35   | • Entry Guide | • Pressure Unit<br>• 14" Cooling<br>Section                                            | • 2-Roll Turkshead             | • Roll Tooling |
| 1188    | 0.75" - <b>1.50"</b><br>(19.05 - 38.1 mm) | .034" - <b>.134"</b><br>(.863 - 3.40 mm) | ARDCOR<br>#U1  | • Motor       | • Pressure Unit<br>• Ironing Unit                                                      | • (2) Straighteners<br>• Motor | • Roll Tooling |

## WELDERS

|                   | STOCK #    | DESCRIPTION                          |
|-------------------|------------|--------------------------------------|
| HIGH<br>FREQUENCY | 1119       | 400 KW ELECTROHEATING High Frequency |
|                   | 2855, 2854 | 200 KW THERMATOOL High Frequency     |
|                   |            |                                      |
| ERW               | 841        | 500 KVA YODER ERW                    |
|                   | 1487       | 450 KVA MCKAY ERW                    |
|                   | 1589       | 400 KVA MCKAY ERW                    |
|                   | 1590       | 300 KVA MCKAY ERW                    |
|                   | 1524A      | 100 KVA MCKAY ERW                    |
| TIG               | 1432A      | MILLER TIG                           |
|                   | 1404       | SAF NERTINOX TIG                     |

## CUT-OFFS

| STOCK #    | DESCRIPTION                                          |
|------------|------------------------------------------------------|
| 1445       | 6" (152 mm) TUREK & HELLER                           |
| 3025       | 6" (152 mm) ABBEY ETNA                               |
| 3917, 2730 | 5" (127 mm) x .250" (6.35 mm) ALPHA                  |
| 1553       | 5" (127 mm) x .187" (4.74 mm) ALPHA #IR 20-3-56      |
| 2577       | 4" (101 mm) x .125" (3.17 mm) ALPHA #FR-16           |
| 2804       | 3" (76.2 mm) x .134" (3.40 mm) YODER #P-55           |
| 2316       | 3" (76.2 mm) x .134" (3.40 mm) OTO RAM               |
| 1920       | 3" (76.2 mm) x .134" (3.40 mm) ALPHA #SR12-30/45     |
| 4046       | 3" (76.2 mm) ALPHA/THERMATOOL Double Cut             |
| 4056       | 3" (76.2 mm) ALPHA/THERMATOOL Double Cut             |
| 2371       | 2.5" (63.5 mm) x .135" (3.42 mm) ALPHA               |
| 3006       | 2.125" (53.9 mm) x .085" (2.15 mm) ALPHA #SR-10-2-56 |
| 1896B      | 2" (50.8 mm) ALPHA #35-19-5                          |
| 3196       | 2" (50.8 mm) x .134" (3.40 mm) BETARAM #W2.0-FD      |
| 2310       | 2" (50.8 mm) x .125" (3.17 mm) BETARAM Double Cut    |
| 2544B      | 1.5" (38.1 mm) x .100" (2.54 mm) BETARAM Double Cut  |
| 1896A      | 1.5" (38.1 mm) x .083" (2.10 mm) ALPHA #15310        |
| 2192B      | 1" (25.4 mm) x .049" (1.24 mm) BERTOLETTE            |

## RE-CUT SYSTEMS

| STOCK #                | DESCRIPTION                                 |
|------------------------|---------------------------------------------|
| 3110                   | 7" (177 mm) x 1.5" (38.1 mm) MODERN         |
| 4028, 4034             | 5" (127 mm) x .165" (4.2 mm) HAVEN #875     |
| 3344                   | 4.75" (120.6 mm) x 1.5" (38.1 mm) MODERN    |
| 3301, 3644             | 4" (101.6 mm) x .320" (8.12 mm) HAVEN #740  |
| 3343, 2763             | 3.125" (79.3 mm) x 1.5" (38.1 mm) MODERN    |
| 3991, 3836             | 3" (76.2 mm) x .120" (3.04 mm) HAVEN #872   |
| 3612, 3976, 3986, 4003 | 3" (76.2 mm) x .120" (3.04 mm) HAVEN #873   |
| 4035, 3573, 3572       | 3" (76.2 mm) x .125" (3.17 mm) HAVEN #872   |
| 4029                   | 3" (76.2 mm) x .125" (3.17 mm) HAVEN #873   |
| 2667, 3645             | 1.5" (38.1 mm) x .094" (2.38 mm) HAVEN #871 |

## DEBURRING MACHINES

| STOCK #                      | DESCRIPTION                        |
|------------------------------|------------------------------------|
| 2419                         | 4" (101.6 mm) x 24" KENT #1        |
| 1829, 1830                   | 3" (76.2 mm) x 168" BURRMASER #1   |
| 3015                         | 3" (76.2 mm) x 144" ADIGE #HP100   |
| 3987, 3669, 1832, 2288, 2296 | 3" (76.2 mm) x 120" BURRMASER #1   |
| 3375                         | 3" (76.2 mm) x 96" BURRMASER #1    |
| 1831                         | 3" (76.2 mm) x 72" BURRMASER #1    |
| 3395, 2324                   | 2.5" (63.5 mm) x 30" BURRMASER #8  |
| 3692                         | 2" (50.8 mm) x 144" BUCKEYE/LOOPCO |
| 2514                         | 1" (25.4 mm) x 36" BURRMASER #1    |

## DEDIMPLERS

| STOCK #    | DESCRIPTION                             |
|------------|-----------------------------------------|
| 2058       | 3" (76.2 mm) BUCKEYE Dedimpler & Deburr |
| 2943, 3076 | 2" (50.8 mm) LEMONT                     |
| 3198, 3691 | 2" (50.8 mm) LOOPCO                     |

## STRAIGHTENERS

| STOCK # | DESCRIPTION                                      |
|---------|--------------------------------------------------|
| 3828    | 5" (127 mm) TAYLOR WILSON, 6-Roll                |
| 474     | 4.625" (117 mm) x .5" (12.7 mm) SUTTON, 5-Roll   |
| 3245    | 3.5" (88.9 mm) x .158" (4.01 mm) TAIYUAN, 6-Roll |
| 2519    | 3" (76.2 mm) BIGWOOD, 7-Roll                     |
| 3221    | 2.25" (57.1 mm) TUREK & HELLER, 7-Roll           |
| 3402    | 2" (50 mm) x .197" (5 mm) BRONX, 6-Roll          |

## BENDERS

| STOCK # | DESCRIPTION                        |
|---------|------------------------------------|
| 3340    | 1.5" (38.1 mm) PINES #1 Horizontal |
| 2116    | 1" (25.4 mm) PINES #5T Vertical    |

## END FORMERS

| STOCK # | DESCRIPTION                 |
|---------|-----------------------------|
| 1811    | 3.5" (88.9 mm) DICKEY & SON |
| 3734    | 2.75" (69.8 mm) EAGLE #E    |

## END FACERS

| STOCK #                            | DESCRIPTION             |
|------------------------------------|-------------------------|
| 4030                               | 5" (127 mm) HAVEN #850  |
| 3784, 3839, 3838, 3992, 3977, 3729 | 3" (76.2 mm) HAVEN #912 |



## ROLLFORMERS

| STOCK # | NUMBER OF PASSES | SPINDLE DIAMETER | ROLL SPACE | MANUFACTURER/ MODEL                        | EQUIPPED WITH                                                                                                                                                                                          |
|---------|------------------|------------------|------------|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3877    | 32               | 2"               | 20"        | PEARSON (20 Stands)<br>TRU-CUT (12 Stands) | • Electrical Cabinet, Push Button Control Panel, Motor                                                                                                                                                 |
| 3364    | 23               | 2.5"             | 48"        | ARDCOR #F15-2-1/2-48                       | • 24 Stand Base                                                                                                                                                                                        |
| 4082    | 22               | 2.5"             | 24"        | CONTOUR                                    | • Control Panel, Motor                                                                                                                                                                                 |
| 4087    | 20               | 2"               | 8.5"       | TISHKEN                                    | • Control Panel                                                                                                                                                                                        |
| 4084    | 20               | 2"               | 12"        | TISHKEN                                    | • Control Panel, Motor                                                                                                                                                                                 |
| 3879    | 20               | 1.5"             | 8"         | TISHKEN #20HM1-1/2                         | • Push Button & Touchscreen Control Panel, Motor                                                                                                                                                       |
| 2996    | 20               | 1.5"             | 11"        | MAX TECHNOLOGIES                           | • Motor                                                                                                                                                                                                |
| 4088    | 19               | 2"               | 13"        | YODER                                      | • Control Panel, Motor                                                                                                                                                                                 |
| 3981    | 18               | 3.25"            | 52"        | B&K                                        | • Push Button Control Panel, Electrical Cabinet, Motor                                                                                                                                                 |
| 4086    | 18               | 2"               | 12"        | PULLMAR                                    | • Control Panel, Motor                                                                                                                                                                                 |
| 2709    | 16               | 2.5"             | 24"        | BRADBURY #315-B                            | • Entry Guide, Straightener, Electrical Panel, Push Button Station<br>Auto Grease System, Magnetic Sheet Feeder Destacker for 6' x 21" pcs.,<br>Exit Conveyor, Motor, Roll Tooling                     |
| 3801    | 16               | 2"               | 10"        | DREISTERN                                  | • Push Button Controls, Straightener                                                                                                                                                                   |
| 3853    | 16               | 2"               | 8"         | TISHKEN #16MW2                             | • Coolant Pump, Motor, Push Button Controls                                                                                                                                                            |
| 4075    | 16               | 1.5"             | 12"        | TISHKEN #16HMMW                            | • Motor, Controls                                                                                                                                                                                      |
| 4074    | 16               | 1.5"             | 8"         | TISHKEN #16MLW                             | • Motor, Controls                                                                                                                                                                                      |
| 1913    | 16               | 1.125"           | 8"         | FLAGLER (Triplex-Type)                     | • Motor, Start/Stop Pendant, Stock Guide, Roll Tooling for V-Angle                                                                                                                                     |
| 2535    | 15               | 1.5"             | 10"        | RDF                                        | • Motor, Coolant Pump, Push Button Console, Control Panel, Drive                                                                                                                                       |
| 3087    | 15               | 1.25"            | 11"        | B&K/MV                                     | • Drive, Coolant Pump & Tank, Push Button Station, Entry Guide,<br>Straightener, Control Console, Conveyor, Uncoiler, Pre-Punch Press                                                                  |
| 2614    | 14               | 2.5"             | 42"        | BRADBURY #415RF                            | • Entry Guide, Motor, Roll Tooling                                                                                                                                                                     |
| 3174    | 14               | 2.5"             | 30"        | RAFTER                                     |                                                                                                                                                                                                        |
| 4011    | 14               | 2"               | 15"        | TISHKEN #4MW2                              | • Drive                                                                                                                                                                                                |
| 3267    | 14               | 1.5"             | 6"         | TISHKEN #14HMMW1-1/2                       | • Motor with Vari Speed Manual Drive, Start/Stop/Run/Jog Buttons                                                                                                                                       |
| 3852    | 14               | 1"               | 8"         | DAHLSTROM #350-120B                        | • Motor                                                                                                                                                                                                |
| 3059    | 12               | 3"               | 36"        | ASC #CAS-4-36-12                           | • Entry Guide, Motor, Electric Panel, Jog Control, Roll Tooling                                                                                                                                        |
| 3424    | 12               | 2"               | 6"         | TISHKEN #12-M2-2                           |                                                                                                                                                                                                        |
| 1992    | 12               | 1.5"             | 9"         | PROMA                                      | • Motor, Entry Guide, Jog Pendant, Push Button Console                                                                                                                                                 |
| 2861    | 12               | 1.5"             | 8"         | CONTOUR ROLL #151208 SR                    | • Push Button Control Console, Control Panel, Motor                                                                                                                                                    |
| 3736    | 12               | 1.5"             | 8"         | DAHLSTROM #360-12                          | • Straightener, Motor                                                                                                                                                                                  |
| 1654    | 12               | 1.25"            | 4.125"     | ENGEL                                      | • Double Strip Guide, Motor, Roll Tooling for (2) Different Shapes                                                                                                                                     |
| 2955    | 12               | 1"               | 4"         | TISHKEN #12RLW1                            | • Motor                                                                                                                                                                                                |
| 2910    | 10               | 3"               | 54"        | BRADBURY #M3                               | • Uncoiler, Cut-Off w/Die Set, Counter, Electrical Controls, Motor,<br>Roll Tooling for Ribbed Panel, 19 Gauge                                                                                         |
| 4065    | 10               | 3"               | 30"        | TISHKEN #28-HW-3                           |                                                                                                                                                                                                        |
| 3175    | 10               | 2.5"             | 30"        | RAFTER                                     |                                                                                                                                                                                                        |
| 2349    | 10               | 1.75"            | 10"        | PEARSON #1-3/4                             | • Entry Guide, Straightener                                                                                                                                                                            |
| 3724    | 10               | 1.5"             | 37"        | BRADBURY (Duplex-Type)                     | • Entry Coil Car, Uncoiler, Entry Pinch Rolls, Straightener, Punching Unit,<br>Shear, Stacker/Conveyor, Destacking System, U-Bender, Downlayer,<br>Exit Conveyor, PLC and Drives, Electrical, Controls |
| 1993    | 10               | 1.5"             | 8"         | YODER #M1-1/2                              | • Stock Guide, Push Button Controls, Electrical Cabinet, Motor                                                                                                                                         |
| 2953    | 10               | 1.5"             | 6"         | TISHKEN #110-MLW-12                        | • Straightener Stand, Electronics, Motor, Coolant Pump                                                                                                                                                 |
| 3189    | 10               | 1.5"             | 6"         | TISHKEN #10-HM-1-1/2                       | • Straightener Stand, Motor, Push Button Console                                                                                                                                                       |
| 3567    | 10               | 1.5"             | 3.5"       | DAHLSTROM<br>(Cantilever-Type)             | • Motor                                                                                                                                                                                                |
| 2781    | 10               | 1.375"           | 12"        | LOCKFORMER #L-810                          | • Entry Guide, Motor, Electrical, Roll Tooling on one side                                                                                                                                             |
| 1912    | 10               | 1.25"            | 36"        | ENGEL (Duplex-Type)                        | • Adjustable Stock Guides, Entry & Exit, Material Center Support,<br>Width Dial Indicator, Pendant Control, Motor                                                                                      |

## ROLLFORMERS continued

| STOCK # | NUMBER OF PASSES | SPINDLE DIAMETER | ROLL SPACE | MANUFACTURER/ MODEL      | EQUIPPED WITH                                                                                                     |
|---------|------------------|------------------|------------|--------------------------|-------------------------------------------------------------------------------------------------------------------|
| 3086    | 10               | 1.25"            | 10"        | B&K/MV                   | • Push Button Motor Starter, Safety Stop Bar, Coolant Tank, Straightener, Uncoiler, Cut-Off, Run Off Table, Motor |
| 2249    | 10               | 1.125"           | 6"         | LOCKFORMER               | • Entry Guide, Motor                                                                                              |
| 1699    | 10               | 1"               | 4.75"      | ROLLFORM DESIGN          | • Entry Guide, Motor, Straightener                                                                                |
| 4083    | 10               | 2"               |            | TISHKEN                  | • Control Panel, Motor                                                                                            |
| 2760    | 10               | 1"               | 3.5"       | TISHKEN #10-4-1-1        | • Press Punch, Cut-Off Press                                                                                      |
| 2715    | 9                | 2.5"             | 33"        | KANE & ROACH #579        | • Entry Guide                                                                                                     |
| 3535    | 8                | 2"               | 14"        | CUSTOM                   | • Entry Guide, Motor, Roll Tooling for Hat Shape Part                                                             |
| 2163    | 8                | 1"               | 4"         | ENGEL #BLF-BLN           | • Entry Guide, Motor                                                                                              |
| 4020    | 7                |                  |            | CUSTOM (Cantilever-Type) |                                                                                                                   |
| 3158    | 7                | 3.75"            |            | CUSTOM (Cantilever-Type) | • Motor, Pinch Rolls                                                                                              |
| 4085    | 6                | 1.5"             | 6"         | TISHKEN                  | • Control Panel, Motor                                                                                            |
| 4018    | 3                | 1.5"             | 6"         | CUSTOM (Cantilever-Type) |                                                                                                                   |

www.utubeonline.com

## Sheet & Strip Machinery

### CUT-OFFS

|            | STOCK #    | DESCRIPTION                                        |
|------------|------------|----------------------------------------------------|
| PNEUMATIC  | 2749       | 100 Ton (EST.) x 4" (EST.) YODER, 4-Post, Long Bed |
|            | 3795       | 100 Ton x 3" ASC 4-Post, Long Bed                  |
|            | 1549       | 80 Ton x 2" ASC 4-Post, Long Bed                   |
|            | 4053       | 80 Ton x 3" AIRAM, 4-Post, Long Bed                |
|            | 2876       | 35 Ton x 3" BRADBURY, 4-Post, Long Bed             |
|            | 1932       | 25 Ton x 2" PNEU POWR Pre-Punch                    |
|            | 2186       | 25 Ton x .5" SAMCO #HP 25, 4-Post                  |
|            | 3857       | 12 Ton x 1.5" AIRAM, 3-Post                        |
|            | 2561       | 12 Ton TISHKEN #CO-4-HWA, 2-Post                   |
|            | 1308       | 50 Ton x 5" YODER #P-50, 4-Post, Long Bed          |
| MECHANICAL | 4102       | 150 Ton x 2" RLM, 4-Post                           |
|            | 4091       | 50 Ton x 4" YODER #P-50, 4-Post                    |
|            | 2463       | 40 Ton x 1" YODER #P-40, 4-Post                    |
|            | 1886       | 35 Ton x 3" ALPHA #P-40, 4-Post                    |
|            | 2007       | 30 Ton x 3" YODER #P-30, 4-Post                    |
|            | 3574       | 30 Ton x 2.5" MICHIGAN ROLLFORM, 4-Post            |
|            | 2531       | 25 Ton x 2.5" TISHKEN, 4-Post                      |
|            | 4092-4095  | 25 Ton YODER #P-25 Cut-Off Press                   |
|            | 3660, 3661 | 25 Ton x 2" TISHKEN #CO-T-8A, Tilting              |
|            | 3084C      | 20 Ton x 3" MV MACHINEWORKS, 2-Post                |
|            | 4031       | 20 Ton x 3" DAHLSTROM #20TP, 4-Post                |
|            | 2623       | 20 Ton x 2.5" B&K #2CD21-100, 4-Post               |

|                      | STOCK #    | DESCRIPTION                            |
|----------------------|------------|----------------------------------------|
| MECHANICAL CONTINUED | 3547       | 18 Ton x 3" MICHIGAN ROLL FORM, 4-Post |
|                      | 3658, 3659 | 18 Ton x 2" TISHKEN #CO-T-6A, Tilting  |
|                      | 1948, 2960 | 18 Ton x 2" TISHKEN #CO-6-HWA, 2-Post  |
|                      | 1945       | 18 Ton x 2" TISHKEN #CO-6-HW, 2-Post   |
|                      | 2530       | 18 Ton x 2" TISHKEN #CO-6-8-18, 4-Post |
|                      | 2560       | 18 Ton x 2" TISHKEN #CO-6-HW, 2-Post   |
|                      | 2967       | 12 Ton x 4" TISHKEN #CO-4-4, 4-Post    |
|                      | 1885       | 12 Ton x 2" TISHKEN #CO-4-HA, 2-Post   |

### FLATTENERS

| STOCK # | DESCRIPTION                                                 |
|---------|-------------------------------------------------------------|
| 3625    | 36" MECON 7-Roll Flattener                                  |
| 3971    | 26" x .223" PERFECTO #38-26-7, 7-Roll Flattener             |
| 3847    | 24" x .187" LITTELL Coil Flattener w/Peeler, Shear & Feeder |
| 3620    | 20" PERFECTO Feeder                                         |
| 3794    | 18" x .104" PERFECTO #28-18-7 Coil Feeder/Flattener         |
| 3537    | 14" ARDCOR 16-Roll Stock Straightener                       |
| 4100    | 10" x .125" ROWE #A10-125 Flattener                         |
| 4014    | 10" x .105" ROWE Motorized 7-Roll Flattener                 |
| 4099    | 12" x .078" COILMATE #12EFT Flattener                       |



# Coil Handling Machinery

## UNCOILERS

|             | STOCK #          | DESCRIPTION                                   | MOTORIZED ● |
|-------------|------------------|-----------------------------------------------|-------------|
| DOUBLE REEL | 4063             | 11,000 Lb. x 12" ERWTech/UCG Double Uncoiler  | ●           |
|             | 3710             | 10,000 Lb. x 30" ROWE                         | ●           |
|             | 3721             | 10,000 Lb. x 24" MICHIGAN ROLL FORM           |             |
|             | 4090             | 10,000 Lb. x 24" KENT Double Uncoiler         | ●           |
|             | 4072             | 10,000 Lb. x 18" COE Double Uncoiler          |             |
|             | 3915, 3127       | 5,000 Lb. x 18" COOPER WEYMOUTH               |             |
|             | 2303, 2319       | 5,000 Lb. x 16" ROLLRIGHT                     | ●           |
|             | 3128             | 5,000 Lb. x 12" GUILD #UC1518-10, Sliding     |             |
|             | 3643             | 5,000 Lb. (est.) x 18" CUSTOM                 |             |
|             | 2789             | 4,500 Lb. x 24" HUMPHRIES                     | ●           |
|             | 3730             | 4,000 Lb. x 18" DALLAS INDUSTRIES             | ●           |
|             | 1600             | 4,000 Lb. x 12" LITTELL #40-12                |             |
|             | 4062             | 30,000 Lb. x 36" SESCO Coil Reel w/Car        | ●           |
|             | 4040             | 20,000 Lb. x 54" AMERICAN STEEL LINE w/Car    | ●           |
|             | 4042             | 20,000 Lb. x 30" PERFECTO                     |             |
| SINGLE REEL | 3629             | 15,000 Lb. (est.) x 42" MCKAY Hydraulic       | ●           |
|             | 3786             | 10,000 Lb. x 60" COE #CPR-100-60 Motorized    | ●           |
|             | 2341             | 10,000 Lb. x 40" ROWE                         | ●           |
|             | 3712             | 10,000 Lb. x 36" EGAN #M1001-36               |             |
|             | 4041             | 10,000 Lb. x 30" DALLAS                       | ●           |
|             | 4038             | 10,000 Lb. x 24" ASL #1000 Uncoiler w/Car     |             |
|             | 3793             | 8,000 Lb. x 18" ROWE #8018-DSV                | ●           |
|             | 3679, 3702       | 7,500 Lb. x 20" ROWE - Motorized              | ●           |
|             | 4039             | 7,000 Lb. PERFECTO w/Car & Flatteners         |             |
|             | 3708             | 6,000 Lb. x 30" AMERICAN STEEL LINE #1000     |             |
|             | 3789             | 6,000 Lb. x 24" LITTELL #60-24 w/Straightener |             |
|             | 2253             | 6,000 Lb. x 20" EGAN                          | ●           |
|             | 4096             | 4,000 Lb. x 17" CUSTOM                        | ●           |
|             | 3705             | 5,000 Lb. x 18" FEED LEASE CORPORATION        |             |
|             | 2069             | 5,000 Lb. x 18" COOPER WEYMOUTH               |             |
|             | 1844             | 2,500 Lb. x 20" AMERICAN STEEL LINE           |             |
|             | 2961             | 2,500 Lb. x 18" LITTELL #25-18                |             |
|             | 3731, 3696, 4098 | 2,500 Lb. X 18" COOPER WEYMOUTH #2500-18      | ●           |
|             | 2871             | 2,500 Lb. x 18" AMERICAN STEEL LINE #70       |             |
|             | 3585, 3584       | 2,500 Lb. x 16" AMERICAN STEEL LINE #60       |             |
|             | 3704             | 2,500 Lb. x 12" DALLAS INDUSTRIES             | ●           |
|             | 1027             | 2,000 Lb. x 12" WEDNESBURY                    |             |
|             | 2956             | 1,000 Lb. x 18" AMERICAN STEEL LINE           |             |
|             | 1391             | 1,000 Lb. x 16" AMERICAN STEEL LINE #60       |             |
|             | 2234             | 1,000 Lb. x 12" EGAN #L120-12                 |             |
|             | 2369             | 1,000 Lb. x 10" DURANT TOOL                   |             |
|             | 2227             | 600 Lb. x 12" LITTELL #5                      | ●           |

|                  | STOCK #    | DESCRIPTION                        | MOTORIZED ● |
|------------------|------------|------------------------------------|-------------|
| PALLET DECOILERS | 4036       | 15,000 Lb. AWC                     | ●           |
|                  | 4044, 3859 | 8,000 Lb. COILMATE                 | ●           |
|                  | 3678       | 5,000 Lb. x 48" COILMATE           | ●           |
|                  | 3698       | 5,000 Lb. ROTARIAN #R1240          | ●           |
|                  | 3472       | 5,000 Lb. RAPIDAIR                 | ●           |
|                  | 3697       | 5,000 Lb. INTEC AUTOMATION         | ●           |
|                  | 2017       | 3,500 Lb. COOPER WEYMOUTH #PD 3548 | ●           |

## COIL CARS

| STOCK # | DESCRIPTION                            |
|---------|----------------------------------------|
| 4051    | 30,000 Lb. ASC                         |
| 3036    | 20,000 Lb. x 48" LOOPCO #11870A        |
| 2075    | 15,000 Lb. REVOLVATOR #1957            |
| 3713    | 15,000 Lb. 7-1/2 Ton DAHLSTROM         |
| 3479    | 10,000 lb. x 60" Powered Transfer Cart |
| 3913    | 10,000 Lb. x 40" ROWE                  |
| 2799    | 8,000 Lb. x 60" BHP                    |
| 2265    | 5,000 Lb. x 48" AUTOQUIP               |

## SHEAR & END WELDERS

| STOCK #    | DESCRIPTION                   |
|------------|-------------------------------|
| 2360       | 60" LEE SHAFER                |
| 2726       | 12" x .135" GUILD             |
| 2494       | 12" x .100" GUILD #DMA-100-12 |
| 3129       | 12" GUILD #ME-150-12          |
| 2390       | 10" x .187" GUILD #D-187-11   |
| 2705B      | 10" x .156" NATIONAL          |
| 2671       | 10" x .120" GUILD #DMA-5-10   |
| 1175       | 6" GUILD #S673 PE 70-6        |
| 2490       | 4" x .040" GUILD #ME 040-4    |
| 2169, 2170 | 2" LEE SHAFER                 |

**Looking for a specific machine?**  
Contact us at +1 (419) 872-2364 or [sales@utubeonline.com](mailto:sales@utubeonline.com) for help. Our inventory is always changing, and we also offer new machinery options to meet your requirements.

## CUSTOM PRODUCTION LINES

We specialize in seamlessly integrating machinery from our extensive inventory and incorporating new machinery from ERWTech and UCG to create custom production lines tailored for specific applications.



## START-UP & SERVICE

Rely on our in-house engineering and service team for comprehensive support. We offer start-up and commissioning services, manage installations, provide operator training, offer on-site service, technical support, and more.



## AUTOMATION

UCG designs, manufactures, and installs control panels, drive systems, die accelerators, and other integral components for industrial metalworking machinery.



## PARTS & CONSUMABLES

Minimize downtime and ensure long-term efficiency with our stock of common replacement parts, conveniently available from our Perrysburg, Ohio warehouse.




## RECONDITIONING

We can recondition your machinery as your production needs change, ensuring more accurate and reliable production, enhanced safety, ease of operation and longer equipment lifespan.



## SELL YOUR MACHINERY

Looking to sell? We're always interested in tube mills, rollformers, coil handling machinery, and more. Choose from our selling options: immediate cash sale, trade-in, consignment, or auction.



 UNIVERSAL  
TUBE & ROLLFORM  
EQUIPMENT co.  
A UCG COMPANY

26202 Glenwood Road, Perrysburg, Ohio 43551, USA E: [sales@utubeonline.com](mailto:sales@utubeonline.com) P: +1 419-872-2364

[www.utubeonline.com](http://www.utubeonline.com)